

3005020018

ETB-10

Central, Panel Mounted



DESCRIPTION

- Master station with 10 lines selection
- All Call facility
- Monitor-speaker / microphone
- Connector for gooseneck or handheld microphone
- Dimable memory light
- Line buttons with memory light
- Buzzer indication of incoming calls
- Step volume control
- Call signal
- · Output for extra signal device all lines
- 24V DC power supply

Created: 14.07.2014, updated: 13.04.2018


page 1/3

SPECIFICATIONS

GENERAL

| Material / finish | Aluminium / black |
|--------------------------|---|
| Mounting | Flush with 4 x 4 mm screws |
| Terminals | Plugable screw terminals for cable max. 2.5 mm2 |
| Cable gland | 6 x PG-16 |
| IP rating | IP-22 |
| Dimension (mm) | 240W x 144H x 130D (with glands) |
| Cut out dimension | 224 x 132 mm |
| Weight | Approx. 1.6 kg |
| Microphone input | Contact for handheld and gooseneck -microphone |
| Switches | Push button type with LED indication |
| Power supply | 24 - 32 VDC |
| Max. current consumption | 2A |
| Output power | 30W RMS |
| Frequency range | 200 Hz - 8 KHz (-3 dB) |
| Temperature operating | -20 to +55 °C |
| | |

TECHNICAL DIMENSIONS



Created: 14.07.2014, updated: 13.04.2018

page 2/3

ACCESSORIES







WBOKS

ETC-1-TB

MB-30G

Created: 14.07.2014, updated: 13.04.2018

page 3/3