

3005020022

ETB-5

Central Panel Mounted



DESCRIPTION


- Master station with 5 lines selection
- All Call facility
- Monitor-speaker / microphone
- Connector for gooseneck or handheld microphone
- Dimable memory light
- Line buttons with memory light
- Buzzer indication of incoming calls
- Step volume control
- Call signal
- Output for extra signal device all lines
- 24V DC power supply

SPECIFICATIONS

GENERAL

Material / finish	Aluminium / black
Mounting	Flush with 4 x 4 mm screws
Terminals	Plugable screw terminals for cable max. 2.5 mm ²
Cable gland	6 x PG-16
IP rating	IP-22
Dimensions (mm)	240W x 144H x 130D (with glands)
Cut-out dimensions	224 x 132 mm
Weight	Approx. 1.6 kg
Microphone input	Contact for handheld and gooseneck -microphone
Switches	Push-button type with LED indication
Power supply	24 - 32 VDC
Max. current consumption	1A
Output power	15 W RMS
Frequency range	200 Hz - 8 KHz (-3 dB)
Temperature operating	-20 to +55 °C

TECHNICAL DIMENSIONS



ACCESSORIES



WBOKS

Item Number: 3005020065



ETC-1-TB

Item Number: 3005020029



MB-30G

Item Number: 3005020033